

LGU35-S Series


UNIT TYPE

φ 35

3.5 Nm




EXAMPLE of STACKING




- See the Multi-Stage Usage Page
- See the Optional Parts Page

OUTPUT TORQUE CURVE




DIMENSIONS (mm)

LGU35-SRS,SNS



LGU35-SYS




Series	Model Name	Actual Speed Ratio	Maximum Output Torque(Nm)	Input Shape	Output Shape	Weight (g)
LGU35-S	LGU35-4SRS	3.667	3.5	D Cut Hole φ4×3	Spur Gear Hole φ8.4×12z×0.6m	61
	LGU35-5SRS	5				63
	LGU35-4SNS	3.667		D Cut Hole φ6.3×5.3		61
	LGU35-4SYS	3.667		Spur Gear Shaft φ8.4×12z×0.6m		64
	LGU35-5SYS	5				66



※The units will not be stacked at shipment.


■ OUTPUT TORQUE CURVE




※The torque curve of the final stage (output side) is described.

■ DIMENSIONS (STACKED) (mm)

2 STAGES



3 STAGES



Actual Speed Ratio	1st Stage Model Name	2nd Stage Model Name	3rd Stage Model Name	Spacer (Option)	Maximum Output Torque(Nm)	Input Shape	Output Shape
13.4	LGU35-4SRS	LGU35-4SYD7-A	-	U35-913×1	5.0	D Cut Hole φ4×3	Serration Hole 12×11×1
18.3	LGU35-4SRS	LGU35-5SYD7-A			10		
		LGU35-5MYD7			5.0		
25	LGU35-5SRS	LGU35-5SYD7-A			10		
		LGU35-5MYD7	5.0				
49.3	LGU35-4SRS	LGU35-4SYS	LGU35-4SYD7-A	U35-913×2	5.0		
67.2	LGU35-4SRS	LGU35-4SYS	LGU35-5SYD7-A		10		
			LGU35-5MYD7		5.0		
91.7	LGU35-4SRS	LGU35-5SYS	LGU35-5SYD7-A		10		
125	LGU35-5SRS	LGU35-5SYS	LGU35-5SYD7-A	5.0			
			LGU35-5MYD7	10			